


Electrical Specifications

Parameters		Value	Unit
Center Frequency (Fo)		921.500	MHz
Insertion Loss, typ/max	@ 921 MHz	3.2 / 3.5	dB
Amplitude Ripple, typ/max	@ 915 ~ 928 MHz	0.6 / 1.0	dB
In/Out Return Loss, min/typ	@ 915 ~ 928 MHz	10 / 13	dB
Group Delay, typ/max		22 / 50	ns
Attenuation, min/typ	@ 0.3 ~ 857.5 MHz	-40 / -52	dB
	@ 857.5 ~ 895 MHz	-35 / -50	dB
	@ 970 ~ 1005 MHz	-35 / -45	dB
	@ 1005 ~ 1110 MHz	-40 / -50	dB
	@ 1110 ~ 3000 MHz	-30 / -33	dB
Input Power, max		10	dBm
DC Voltage, max		10	V
Operating Temperature Range		-40 to +85	°C
Storage Temperature Range		-40 to +85	°C


Dimension




Pin No.	Description
3 or 1	Input
1 or 3	Output
2,4	Case ground

Unit: mm

Test Circuit



Frequency Characteristics



Environmental

PARAMETER	VALUE
MOISTURE SENSITIVITY LEVEL	2
REACH – SVHC	Compliant
RoHS	Compliant
ELECTROSTATIC SENSITIVE DEVICE	Yes

● APPROVAL

DRAWN BY	F. Parra, 29 May 2014
APPROVED BY	F. Parra, 29 May 2014
REVISION	A, Initial Release
	B, AR, July 12, 2021 Updated the Input Power
	C, AR, January 24, 2021 Updated the Current Revision Levels
	D, AR, January 31, 2021 Added ESD and updated MSL
	E, AR, July 08, 2022 Updated the Current Revision Levels



Raltron Electronics / RAMI Technology USA, LLC, including its affiliates, employees, agents and other persons acting on its behalf (collectively Raltron/RAMI Tech), disclaim any and all liability for any errors or inaccuracies contained in this data sheet. While Raltron/RAMI Tech has made every reasonable effort ensure the accuracy of all product information, specifications and data contained herein, Raltron/RAMI Tech does not guarantee that the information is accurate, reliable or current. The product information is provided only for reference purposes only and is subject to change, correction or revision, at any time without notice. Raltron/RAMI Tech does not assume any liability arising out of an application or use of any product described herein and disclaims any warranties expressed or implied. The user of products in such applications shall assume all risks of such use and will agree to hold Raltron/RAMI Tech, harmless against all damages.

Copyright © 2016, Raltron Electronics / RAMI Technology USA, LLC. All rights reserved. No part of this document may be reproduced in any form without the prior written permission of Raltron Electronics / RAMI Technology USA, LLC.