

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION

Part Number: [0622018677](#)
Status: **Active**
Overview: [Application Tooling](#)
Description: Press-In Tool for Daughter Card Module

Documents:
[RoHS Certificate of Compliance \(PDF\)](#)


General

Product Family	Application Tooling
Series	207123
Comments	See Tooling Specification (PDF) Above
Function	Insertion
Geographic Area	Global
Level of Automation	Manual
More Detailed Tech Information	applicationtooling@molex.com
Overview	Application Tooling
Product Name	PremiumGrade
Tool Type	Press-Fit Insertion Tool
UPC	883906297213
Warranty Disclaimer	CAUTION: Molex tooling crimp specifications are valid only when used with Molex terminals and tooling manufactured by Molex and sold by Molex or authorized distributors ("Molex Tooling"). When using tooling other than Molex Tooling with Molex specific connector systems listed in our ATS documents, the Molex tooling qualification does not apply and the responsibility for full qualification of the connector system is that of the customer. Molex accepts no liability for connector performance or tooling support where tooling other than Molex Tooling is used or where Molex Tooling is modified.

Material Info

Reference - Drawing Numbers
Application Tooling Documents

ATS-622018677, TM-622018799



Series image - Reference only

EU ELV

Not Relevant

EU RoHS

Not Reviewed

REACH SVHC

Not Reviewed

Halogen-Free

Status

Not Relevant

For more information, please visit [Contact US](#)

China ROHS

Not Relevant

ELV

Not Relevant

RoHS Phthalates

Not Reviewed

Search Parts in this Series

[207123 Series](#)

Use With

Impact Daughtercard Signal Module Assembly [76160](#)

Application Tooling

FAQ

Description

Product #

Impact 85 Ohm Plus 4 Pair, Right-Angle Daughtercard, Unguided, 8 Columns, 96 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	1703401038
Impact 85 Ohm Plus 4 Pair, Right-Angle Daughtercard, Left Guided, 8 Columns, 96 Circuits, Plated Through Hole Dimension 0.39mm, Lead Free	1703403038
Impact 85 Ohm Plus 4 Pair, Right-	1703405038

Angle Daughtercard,
Right Guided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 761601008

4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761601038

4 Pair Right-Angle
Daughtercard
Receptacle,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761603008

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761603038

4 Pair Right-Angle
Daughtercard
Receptacle, Left
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 761605008

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 761605038

4 Pair Right-Angle
Daughtercard
Receptacle, Right
Guided, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001805

4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 8 Columns,

96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765001807

4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001808

4 Pair RAM Right-
Angle Header,
Unguided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 765001817

4 Pair RAM Right-
Angle Header,
Unguided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001827

4 Pair RAM Right-
Angle Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001828

4 Pair RAM Right-
Angle Header,
Unguided, Dual
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765001838

4 Pair RAM Right-
Angle Header,
Unguided, Right
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765003805
4 Pair RAM Right-
Angle Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765003807
4 Pair RAM Right-
Angle Header,
Left Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765005805
4 Pair RAM Right-
Angle Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.46mm,
Lead Free

Impact 100 Ohm 765005807
4 Pair RAM Right-
Angle Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765005808
4 Pair RAM Right-
Angle Header,
Right Guided, Open
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 765007807
4 Pair RAM Right-
Angle Header,
Left Guided,
Right Endwall, 10
Columns, 96 Circuits,
Pin Length 4.90mm,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 765007808
4 Pair RAM Right-
Angle Header,
Left Guided, Right
Endwall, 8 Columns,

96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 765009808

4 Pair RAM Right-
Angle Header,
Right Guided, Left
Endwall, 8 Columns,
96 Circuits, Pin
Length 5.50mm,
Plated Through Hole
Dimension 0.39mm,
Lead Free

Impact 100 Ohm 768501008

4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 768501038

4 Pair Right-
Angle Orthogonal
Daughtercard,
Unguided, 8
Columns, 96 Circuits,
Plated Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768503008

4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 768503038

4 Pair Right-
Angle Orthogonal
Daughtercard, Left
Guide, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

Impact 100 Ohm 768505008

4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 8 Columns,
96 Circuits, Plated
Through Hole
Dimension 0.46mm,
Lead-Free

Impact 100 Ohm 768505038

4 Pair Right-
Angle Orthogonal
Daughtercard, Right
Guide, 8 Columns,

96 Circuits, Plated
Through Hole
Dimension 0.39mm,
Lead-Free

This document was generated on 02/27/2021

PLEASE CHECK WWW.MOLEX.COM FOR LATEST PART INFORMATION